


Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



TRANSMITTAL FORM

To be used for all correspondence after initial filing)

Application Number

10/084,786

Filing Date

6/14/2002

First Named Inventor

HOWARD F. GOKEY

Group Art Unit

3723

Examiner Name

WATSON, Robert C

Total Number of Pages in This Submission

23

Attorney Docket Number

ENCLOSURES (check all that apply)

☐ Fee Transmittal Form☐ Fee Attached☒ Amendment / Reply☒ After Final☐ Affidavits/declaration(s)☐ Extension of Time Request☐ Express Abandonment Request☐ Information Disclosure Statement☐ Certified Copy of Priority Document(s)☐ Response to Missing Parts/Incomplete Application☐ Response to Missing Parts under 37 CFR 1.52 or 1.53☐ Assignment Papers (for an Application)☐ Drawing(s)☐ Licensing-related Papers☐ Petition☐ Petition to Convert to a Provisional Application☐ Power of Attorney, Revocation Change of Correspondence Address☐ Terminal Disclaimer☐ Request for Refund☐ CD, Number of CD(s) _____☐ After Allowance Communication to Group☐ Appeal Communication to Board of Appeals and Interferences☐ Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)☐ Proprietary Information☐ Status Letter☐ Other Enclosure(s) (please identify below):

Remarks

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

Firm
or
Individual name

HOWARD F. GOKEY

Signature

Date

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on this date: March 14, 2005

Typed or printed name

HOWARD F. GOKEY

Signature

Howard F. Gokey

Date

March 14, 2005

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

3723
EHW



Bar Clamp Corner Squaring Fixture
Continuance of Application 10/084,786
First Inventor: Howard F. Gokey
(518) 483-5525

Amendment Contents
March 10, 2005

Amendment.....	Pages 1 - 3
Remarks / Amendment.....	Pages 4 - 5
Version with markings to show changes.....	Pages 6 - 8

Applicant : Howard F. Gokey
 Application No : 10/084,786
 Filed : 06/14/2002
 Title : Bar Clamp Corner Squaring Fixture

Art Unit : 3723
 Confirmation Number : 6223
 Examiner : Watson, Robert C..

Honorable Commissioner for Patents
 Washington, D.C. 20231

Amendment
March 10, 2005

Honorable Commissioner for Patents:

In response to the January 12, 2005 communication concerning the above identified patent application, please amend the application as follows.

In the Contents of the Application

Information is added to meet submittal requirements and the application pages are organized and numbered. All new sheets are attached to this amendment and dated March 10, 2005. These sheets will replace all previous sheets and documentation provided in the Original Application dated February, 28, 2002, the Continuance of Applications dated June 14, 2002, February 24, 2004..

In the Specifications (page 2):

The specifications listed on one page (not numbered) in the Original Application dated June 14, 2002 are cancelled.

The original specifications were replaced with those listed on page 2 of the Continuance of Application dated January 27, 2003. These specifications are replicated below as they are not changed from the Continuance Application dated January 27, 2003.

The invention consist of four (4) pieces of metal fabricated to 90 degree corners and is used in conjunction with beam clamp assemblies. Drawings (Figures 1A and 2A) describing the bar Clamp Corner Squaring Devices in detail are attached

The metal fixtures are made from 1/8" band iron and are welded in the corners and at the base.